



Inuming <u>CO150018</u> CO150009 CO150019

Energy West Mining Company P. O. Box 310 15 No Main Street Huntington, UT 84528

July 11, 2011

Department of Environmental Quality Division of Water Quality 288 North 1460 West P.O. Box 144870 Salt Lake City, UT 84114-4870

### Gentleman:

Enclosed are the monthly discharge reports for the Deer Creek, Trail Mountain, Cottonwood/Wilberg mines and the Hunter Coal Preparation and Blending Facility for the month of June 2011. All other parameters were in compliance with UPDES permits.

If you have any questions concerning these reports, please feel free to call Guy Davis at (435) 687-4711.

Sincerely

Rick M. Poulson Mine Manager

Encl

CC:

Division of Oil, Gas and Mining
Coal Regulatory Program
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

Guy Davis w/ enclosures Ken Fleck "

Name: PacifiCorp, Energy West Mining Company

Address: P.O. Box 310

Huntington, Utah 84528 Facility: Trail Mountain Mine

UT0023728
Permit Number

8 06/( er

06/01/2011 06/30/2011 Monitoring Period

Sediment pond outfall into Cottonwood Ck.

001A
Discharge Number

No Discharge

Comments and explanation of any violations:	Typed or Printed	Rick M. Poulson - Mine  Manager Energy West Mining  Company	Name/Title Principal Executive Officer	84066 1 0 / 45613 1 0 Effluent Gross Value	Oil and Grease, Floating Solids, Foam; Visual	70295 Q 0 Effluent Gross Value	Solids, Total Dissolved	Effluent Gross Value	Oil and Grease	Effluent Gross Value	Iron, Total (as Fe)	Effluent Gross Value	Settleable Solids	Effluent Gross Value	Solids, Total Suspended	Effluent Gross Value	pH	Effluent Gross Value	Flow Rate		Parameter
on of any viols	ed	1 - Mine est Mining	cutive Officer		Sample Measurement	Canal San San	Sample Measurement		Sample Measurement		Sample Measurement		Sample Measurement		Measurement		Neasurement		Sample Measurement		
itions:	significant penalties for submitting false in and imprisonment for knowing violations.	qualified personnel prop my inquiry of the person responsible for gathering my knowledge and belie	l certify under penalty o		*****		******		*******	*::	******		******		*****		******			Average	Quant
	significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	qualitied personnel property gather and evaluate the information absoluted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are	I certify under penalty of lew that this document and all attachments were prepared	() () () ()							******		******		******		*****			Maximum	Quantity or Loading
	tion, including	the information the system, or ormation submaplete. I am av	and all attachin	yes = l no=0		lbs/day												mgd		Units	ora .
	the possibility of fine	n submitted. Based on those persons directly itted is, to the best of ware that there are	ents were prepared		******		*****		******		144		*****						******	Minimum	Qu
	Signature of Princi Authorized	The state of the s	- Bangi		******		*****		******		******						*****		******	Average	Quantity or Concentration
	incipal Executive Officer or ized Representative	Rick	07/11/2011		******		The second secon								)	( <del>*</del> )			******	Maximum	ncentration
	ficer or	Rick M. Poulson	11			mg/L		mg/L		mg/L		mL/L		mg/L		SU				Units	
	Area Code	435												i i						No. Ex.	
	Nu	687.	Telephone					7.				Walling 1						A STATE OF THE PARTY OF THE PAR		Analysis	
	Number	687-9821	7.35			(G) 3		(31 (∓	•	G. C. San		(17.0)				â			Measrd	Sample Type	

Comments and explanation of any violations:

During storm discharge, sample for settleable solids; Sample for oil and grease is only required when sheen is observed

# **Discharge Monitoring Report** Mine Discharge to Cottonwood Creek

Name: PacifiCorp, Energy West Mining Company Address: P.O. Box 310 Huntington, Utah 84528 Facility: Trail Mountain Mine

UT0023728
Permit Number

Monitoring Period 06/30/2011

002A Discharge Number

No Discharge

because that this document and all attachments were prepared from or supervision in accordance with a system designed to assure that med property gather and evaluate the information admitted. Based on	Sample	Sample Measurement  Sample  Measurement  Sample  Sample  Sample  Measurement  Measu	t Gross Value  Crease  Crease	t Gross Value (Auguston)  Orease Measurement (Auguston)  t Gross Value (Auguston)  Total Dissolved (Measurement (Auguston)  Measurement (Auguston)  ***********************************	Sample Measurement  ******  ******  ******  *******  *****	t Gross Value (Aguition)  Grease Measurement ******** ***************************		01045 100	Iron, Total (as Fe) Measurement ************************************	Effluent Gross Value Conservation	Settleable Solids Measurement *******	100530 100 Effluent Gross Value Marinian (1997)	uspended	の4400 100 Carrie Try	pH Measurement ******* *******	Effluent Gross Value Guigara (1877) mgd	Sample ******* Measurement	Average Maximum Units Minimum Average	Parameter Quantity or Loading Quantity or Concentration
						DENY mark	The second secon		***	$(B_{ij})_{i \in I}$					***			Maximum	ity or Concentration
mg/L	mg/L	mg/L	mg/L			T/Aw		1/gm		mL/L		mg/L		SU				Units No. Ex.	
Telephone					The second secon	Approx.	The state of the s			North Cont.		Liverion (and		A Maritial Value of the Control of t				Analysis Sample Type	

Comments and explanation of any violations:

During storm discharge, sample for settleable solids; Sample for oil and grease is only required when sheen is observed

### Oil and Grease, Floating 00400 10 Solids, Foam; Visual Solids, Total Dissolved Effluent Gross Value Oil and Grease Effluent Gross Value Effluent Gross Value Effluent Gross Value 34066 1 0 / **45**613 1 0 Effluent Gross Value 00556 00 Effluent Gross Value Iron, Total (as Fe) Settleable Solids Effluent Gross Value 00530 10 Solids, Total Suspended Effluent Gross Value 00056 10 Flow Rate Facility: Address: Name: Manager Energy West Mining Name/Title Principal Executive Officer Rick M. Poulson - Mine **Parameter** Deer Creek Mine P.O. Box 310 PacifiCorp, Energy West Mining Company Huntington, Utah 84528 Typed or Printed Company Sample Sample Sample Sample Sample Measurement Sample Measurement Measurement Measurement Sample Measurement Measurement Sample Measurement Measurement persons directly responsible for gathering the information, the information submitted possibility of fine and imprisonment for knowing violations. is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure Based on my inquiry of the person or persons who manage the system, or those that qualified personnel properly gather and evaluate the information submitted Average \*\*\*\*\*\* \*\*\*\*\*\* 0.05 \*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\* \*\*\*\*\*\* Quantity or Loading UT0023604 Permit Number Maximum 664.60 0.05 \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\* 0 2 Discharge Monitoring Report 7 J lbs/day Units 盟 Minimum 06/01/2011 06/30/ Monitoring Period 8.21 \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\* 10 Quantity or Concentration 06/30/2011 Signature of Principal Executive Officer or Average \*\*\*\*\* \*\*\*\* \*\*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\* \*\*\*\* <u>0</u>:1 10 Authorized Representative Maximum 1467 N/A N/A 8.21 \*\*\*\*\* 0.1 \*\*\*\*\* 07/11/2011 10 Rick M. Poulson Sediment Pond Outfall Units mL/L Discharge Number ng/L mg/L 1/gm J/gm S 901A Area Code No. Ex. 435 \*\* 0 0 0 0 0 0 0 Frequency of Analysis ŕ Telephone 1/30 1/30 1/30 1/30 730 1/30 687-9821 Number No Discharge ample Type Measured Visual Gmeb Grab ST. Grab

Comments and explanation of any violations:

Sample oil and grease only when a sheen is observed, or there is another reason to believe oil is present. Fill in N/A when a test is not performed

When sampling during a precipitation event, or within 24 hours after a precipitation event, Settleable Solids will be analyzed. SS result will be used for compliance instead of TSS

### Huntington, Utah 84528 Facility: Deer Creek Mine PacifiCorp, Energy West Mining Company P.O. Box 310 UT0023604 Permit Number **Discharge Monitoring Report** 06/01/2011 06/30/2011 Monitoring Period Deer Creek Mine Discharge 002A Discharge Number No Discharge

Name: Address:

	:			Same and webiesentanse	Sur de		e violations.	STOTELLY AND THE STOTELL STORY OF THE STOTELL STORY ST	7		Typen of Frince	_
nber	Number	Area Code	fficer or	Signature of Principal Executive Officer or	Signature of Pr	stion, including the	g false informs	that there are significant penalties for submitting false information, including the mostly life of fine and immissionment for Incoming the constitution of th	that there are significant		Time or Bate	_
9821	08/-9821	430	Rick M. Poulson	Rick	Tuke	e system, or those information submitted	who manage the formation, the	sased on my radumy or the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the heat of my knowledge and helief the accused and complete the same same is to the heat of my knowledge and helief the accused and complete the same same is to the heat of my knowledge and helief the accused and complete the same same is to the heat of my knowledge and helief the accused and complete the same same and complete the same same same same same same same sam	persons directly respons is, to the best of my kny		Manager Energy West Mining	
2021	707	3.0				mation submitted.	aluate the infor	that qualified personnel property gather and evaluate the information submitted.	that qualified personnel		Rick M. Poulson - Mine	
	Telephone		111	07/ <b>y</b> 1/2011	Date:	uncuts were prepared	nt and all attach	I certify under penalty of law that this document and all attachments were prepared	I certify under penalty of	Ĺ	Name/Title Principal Executive Officer	_
				•								_
										Sample Measurement		
Array 11 Tiny	J. danidly						yes = ] no=0			Section (Section )	Effluent Gross Value	1
Visual	1/30	0		*****	*****	******		0	******	Measurement	Solids, Foam; Visual	
	系制		mg/L	Jaarly App.			lbs/day			(Guera	20295 1 0 Effluent Gross Value	SI
Grab	1/30	0		623	*****	******		*****	******	Sample Measurement	Solids, Total Dissolved	70
			mg/L								Effluent Gross Value	1= -
Grab	1/30	0		N/A	******	*****		*****	******	Sample Measurement		
	Windilly		mg/L	Traily man							Effluent Gross Value	TE =
Grab	1/30	0		0.47	0.47	****		*****	******	Sample Measurement	Iron, Total (as Fe)	
# 10 m	A. 1917. D. C. Carlotte		mg/L			2.2					Effluent Gross Value	T
Grab	1/30	0		<5	<5	<5		*******	******	Sample Measurement	Solids, Total Suspended	. F-
	No may a s		SU								00400 1 0 Effluent Gross Value	re
Grab	1/30	0		7.75	******	7.75		******	******	Sample Measurement		
IV. day	Monthly						mgd	15.00			00056 1 0 Effluent Gross Value	T ==
Measured	1/30	0		******	******	******		1.92	1.67	Sample Measurement	Flow Rate	
Sample Type	Analysis	No. Ex.	Units	Maximum	Average	Minimum	Units	Maximum	Average			
	5			ncentration	Quantity or Concent	Qu	8	Quantity or Loading	Quant		Parameter	
į												_

Comments and explanation of any violations:

Sample oil and grease only when a sheen is observed, or there is another reason to believe oil is present. Fill in N/A when a test is not performed.

### If oil and grease sheen is observed, a sample must be taken and this must be less than 10 mg/L Comments and explanation of any violations: Oil and Grease, Visual Solids, total dissolved 03582 10 Oil and Grease Effluent Gross Value 00400 10 Facility: Name: 84066 00 01045 10 Solids, Total Suspended Effluent Gross Value 00056 10 70295 10 Effluent Gross Value Effluent Gross Value 00530 10 Address: Manager Energy West Mining Effluent Gross Value Effluent Gross Value Effluent Gross Value fron, Total (as Fe) Flow Rate Name/Title Principal Executive Officer Rick M. Poulson - Mine **Parameter** Cottonwood/Wilberg Mine P.O. Box 310 PacifiCorp, Energy West Mining Company Huntington, Utah 84528 Typed or Printed Company Sample Sample Measurement Measurement Sample Sample Measurement Sample Measurement Мсазитстеп Sample Measurement Sample Measurement ample. Acasurement responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. my inquiry of the person or persons who manage the system, or those persons direc qualified personnel properly gather and evaluate the information submitted. Based $\mathbf{q}$ I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that Average 0.038 \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\* Quantity or Loading UT0022896 Permit Number Maximum 0.038\*\*\*\*\*\* \*\*\*\*\* \*\*\*\* \*\*\*\*\* \*\*\*\* 1017 0 **Discharge Monitoring Report** yes = ] Units no No Minimum 06/01/2011 \*\*\*\* 7.46 \*\*\*\* ል Monitoring Period Quantity or Concentration 06/30/2011 Signature of Principal Executive Officer or Average Date: \*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\* ሌ Authorized Representative Minor Maximum < 0.05 N/A N/A 7.46 \*\*\*\*\*\* 721 07/1/2011 . . Ġ Ī Rick M. Poulsor Units mg/L mg/L mg/L T/gar S Discharge Number 001A Area Code No. Ex. 435 0 0 0 0 0 0 0 Frequency of Analysis Telephone No state 1730 1/30 1/30 1/30 1/30 1/30 687-9821 Number No Discharge Sample Type 171711 Measured Visual Gnab S S <u>라</u> <u>ප</u>

Name: PacifiCorp, Energy West Mining Company Address: P.O. Box 310

Huntington, Utah 84528
Facility: Cottonwood/Wilberg Mine

UT0022896 Permit Number

Minor

DISCHRG SED POND GRIMES WASH

003 A
Discharge Number

Monitoring Period

06/30/2011

No Discharge

Comments and explanation of any violations:	Tour or British	Company	Manager Energy West Mining	Rick M. Poulson - Mine	Name/Title Principal Executive Officer	Effluent Gross Value	84066 10	Oil and Grease, Visual	Effluent Gross Value	70295 1 0	Solids, total dissolved	Effluent Gross Value	03582 10	Oil and Grease	Effluent Gross Value	Iron, Total (as Fe)	Effluent Gross Value		Effluent Gross Value	Solids, Total Suspended	Gross Value		Effluent Gross Value	Flow Rate		Parameter
tion of any viole	Į.	ξ (	Vest Mining	n - Mine	ecutive Officer	Measurement	Sample	Sample Measurement			Measurement			Sample	Arthurson (1)	Measurement	2 11 11 11 11 11 11 11 11 11 11 11 11 11	Measurement	2.7111	Sample Measurement		Measurement		Sample Measurement		
tion.	significant penalties for submitting false is and imprisonment for knowing violations	my knowledge and beli	my inquiry of the person	qualified personnel pro	I certify under penalty		· · · · · · · · · · · · · · · · · · ·	*****			*****			****		*****		******		******		******			Average	Quan
	significant penalties for submitting false information, including the possibility of fine and immissionment for knowing violations	my knowledge and belief, true, accurate, and complete. I am aware that there are	my inquiry of the person or persons who manage the system, or those persons direly	union my unscauni or supervision in accordance with a system designed to assure to qualified personnel properly gather and evaluate the information submitted. Base(	certify under penalty of law that this document and all attachments were prepared						******			******		*******		*****	¥	*****	And the second	*****			Maximum	Quantity or Loading
	ation, including	ender in a super	ge the system, or	e with a system e the informatio	t and all attachn	no=0	<b>X</b>		, <b>1</b>							5			Section 2016				mgd		Units	ora
	the possibility of fine	ware that there are	those persons directly	oesigned to assure that n submitted. Based on	sents were propered			*******			*****			******		7					Transmit A			*****	Minimum	Q
Turnou Los	Signature of Princi	Cher !	N. C.	//	Darg			******			******			******		(1) The state of t						******		*******	Average	Quantity or Concentration
area webi escurative		Ric	1		<b>√0¾</b> 11/2011			****	Day Kay								Bally day			2				******	Maximum	ncentration
	fficer or	Rick M. Poulson			011				mg/L			mg/L			mg/L		шLЛ		mg/L		SU				Units	
	Area Code		435				4																		No. Ex.	
			687		Telephone	126-121			-100 E				Control of the contro				(Magaily)								Analysis	
	Number		687-9821		And the collections of the collection of the col		45.00		(6) E										# U				10 m (30 m)		Sample Type	

Comments and explanation of any violations:

If oil and grease sheen is observed, a sample must be taken and this must be less than 10 mg/L.

рН 00400 10 Name: Oil and Grease, Visual Gross Value If oil and grease sheen is observed, a sample must be taken and this must be less than 10 mg/L Comments and explanation of any violations: Effluent Gross Value Oil and Grease Effluent Gross Value Solids, Total Suspended Effluent Gross Value 84066 00 035821 10 Effluent Gross Value 00530 10 Flow Rate Effluent Gross Value 01045 100 Iron, Total (as Fe) 00056 10 Facility: Cottonwood/Wilberg Mine Address: Manager Energy West Mining Name/Title Principal Executive Officer Rick M. Poulson - Mine **Parameter** P.O. Box 310 Huntington, Utah 84528 PacifiCorp, Energy West Mining Company Typed or Printed Company Effluent Sample Sample Measurement Sample Measurement Measurement Measurement Sample Measurement Measurement Sample Measurement Sample ample **Acasurement** under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. cartify under penalty of law that this document and all stractments were prepared Average \*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* **Quantity or Loading** UT0022896 Permit Number Maximum \*\*\*\*\* **Discharge Monitoring Report** yes =1 Units E B Minimum 06/01/2011 \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* **Monitoring Period** Quantity or Concentration 06/30/2011 Signature of Principal Executive Officer or Average date \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\* Authorized Representative Minor Maximum \*\*\*\*\*\* \*\*\*\* Ē 1/2011 Rick M. Poulson DISCHR SED POND COTTNWD CREEK Units mg/L mg/L mg/L S Discharge Number 004A Area Code No. Ex 435 Frequency of Analysis Telephone 687-9821 Number No Discharge Sample Type K

### рН 00400 10 If oil and grease sheen is observed, a sample must be taken and this must be less than 10 mg/L Gross Value Name: Comments and explanation of any violations: 84066 00 Oil and Grease, Visual 70295 10 Effluent Gross Value Effluent Gross Value 00530 10 Solids, Total Suspended Effluent Gross Value Effluent Gross Value Solids, total dissolved Oil and Grease Effluent Gross Value 01045 10 Iron, Total (as Fe) Effluent Gross Value 00545 00 Settleable Solids Effluent Gross Value 00056 10 Flow Rate Facility: Manager Energy West Mining Address: Name/Tital Principal Executive Officer Rick M. Poulson - Mine **Parameter** Cottonwood/Wilberg Mine P.O. Box 310 PacifiCorp, Energy West Mining Company Huntington, Utah 84528 Typed or Printed Company Effluent Sample Sample Sample Measurement Sample Measurement Sample Measurement Sample Measurement Measurement Sample Measurement Measurement Sample **deasurement** my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on and imprisonment for knowing violations. significant penalties for submitting false information, including the possibility of fine I certify under pensity of law that this document and all strachments were prepared Average \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\*\* \*\*\*\* \*\*\*\*\* Quantity or Loading UT0022896 Permit Number Maximum \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\*\* Discharge Monitoring Report yes =-[ Units mgd Minimum 06/01/2011 \*\*\*\*\*\* \*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\* **Monitoring Period** Quantity or Concentration 06/30/2011 Signature of Principal Executive Officer or Average Date: \*\*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\*\* \*\*\*\*\*\* \*\*\*\* \*\*\*\*\* 41 **Authorized Representative** Minor Maximum \*\*\*\*\*\* 07/11/2011 Rick M. Poulson SED. POND @ WASTE ROCK AREA mL/L mg/L Units mg/L mg/L mg/L Ī ## S Discharge Number 005A Area Code No. Ex. 435 Frequency of Analysis Telephone 687-982] Number No Discharge Sample Type K

	·	Dis	charg	Discharge Monitoring Report	ing Repo	7				
Name: PacifiCorp, Energy West Mining Company Address: P.O. Box 310	t Mining Company						Minor F - Final, (	Minor F - Final, Combination 001, 003, 004, & 005	1 003 004 &	3,
	, ~	UT0022896		06/01/2011	06/30/2011		S	SUM A	1,000,007, 00	No Discharge
acility: Cottonwood/Wilberg Mine	line	Permit Number		Monitoring Period	ng Period		Discha	Discharge Number		
Parameter	Quai	Quantity or Loading		uQ U	Quantity or Conce	centration				
	Average	Maximum	Units	Minimum	Average	Maximum	Units	No. Ex.	Analysis	Sample Type
iolids, Total Dissolved Sample  001) Measurement	ment 226.48	226.48		****	****	****		0	1/30	Grab
0295 10	W.A. 9/69		lbs/day			Transfer	****		Worldhy	(w.d.
[O 80										
Measurement	ment									
A Collider See										
Sample Measurement	ment					AND				
Sample Measurement	ment	The state of the s	Q			2				
Sample Measurement	ment		В =	10	Manage and the state of the sta		·	P		
Control of the Contro			4							
Sample Measurement	ment	AND THE PROPERTY OF THE PROPER								
Sample Measurement	ment									
Lecture 2.0										
Name/Title Principal Executive Officer	L.,	I certify under penalty of law that this document and all attachments were prepared	and all attach	ments were prepared	Daye:	707/31/2011	11		Telephone	
Rick M. Poulson - Mine		that qualified personnel properly gather and evaluate the information submitted.  Based on my inquiry of the person or persons who manage the system, or those	uate the infor	mation submitted.		1		435	687.	687-0821
Manager Eriergy west Minning		persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware	ormation, the accurate, and	information submitted complete. I am aware	With he	Rick	Rick M. Poulson	,		i i
Typed or Printed	that there are signific possibility of fine and	that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	false informs; violations.	tion, including the	Signature of Pri	Signature of Principal Executive Officer or Authorized Representative	ficer or	Area Code	Zu	Number
Comments and explanation of any violations:	ny violations:	s shall not avocad	2 000 11-							
otal discharge of TDS from outfalls 001, 003, and 005 shall not exceed 2,000 lbs/day during draw down.	tfalls 001, 003, and 00	)5 shall not exceed	2,000 lbs	/day during draw	down.					

Name: PacifiCorp, Energy West Mining Company Address: P.O. Box 310 Huntington, Utah 84528

Facility: Hunter Coal Preparation Plant

UTG040009
Permit Number

1/2011 06/30/2011 Monitoring Period

001 Discharge Number

No Discharge

Typed or Printed possibil	Company	Rick M. Poulson - Mine Manager Energy West Mining	Name/Title Principal Executive Officer	84066 1 0 0 Effluent Gross Value	Oil and Grease, Visual	Effluent Gross Value	Solids, Total Dissolved	Effluent Gross Value	Iron, Total (as Fe)	Effluent Gross Value	Settleable Solids	Effluent Gross Value	Solids, Total Suspended	Effluent Gross Value	pH	Effluent Gross Value	Flow Rate		Parameter
ited			ecutive Officer		Sample Measurement	Comment 1:	Sample Measurement		Sample Measurement	Committee of the control of the cont	Sample Measurement	de mid Control de mod	Sample Measurement	3.711	Sample Measurement		Sample Measurement		
possibility of fine and i	is, to the best of my kn that there are significan	that qualified personne Based on my inquiry of persons directly respon	I certify under penalty under my direction or s	or divide:	******		*****		*****		***		***		******	20,000 m		Average	Quan
possibility of fine and imprisonment for knowing violations.	is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant peculibra for submitting files information, including the	that qualified personnel properly gather and evaluate the information submitted.  Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for eathering the information, the information submitted	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure				*****				***		*******		*****	Para di Santa		Maximum	Quantity or Loading
ng violations.	, accurate, and	aluate the information, the	nt and all attach	mg/L				Make and Humania and						60 King , 160 S		mgd		Units	1g
north meaning and	complete. I am aware	nation submitted. system, or those	ments were prepared		<b>冷毒毒毒素</b> 含含	G	******		******		TUSE	Para Masseria				7	<b>安央安保管</b>	Minimum	Qu
Author	Signature of Pri		-Pate: /	7.07 7.07 7.08	快衛信仰衛衛		******		******		*******	9			******		*****	Average	Quantity or Concentration
Authorized Representative	Signature of Principal Executive Officer or		07/11/2011		****						****						****	Maximum	centration
	ve Officer or		11			mg/L		mg/L		mL/L		mg/L		SU				Units	
Area Code		435									The second secon							No. Ex.	
Nu		687.	Telephone			(mind)		Marine .		Marine Services	39.007		The state of the s	W. Waterielle				Analysis	
Number		687-9821		Version by Contract		(1.15)							The second secon					Sample Type	

Comments and explanation of any violations:

Oil and grease not to exceed 10 mg/L if sheen is observed. Settleable solids shall be measured during storm water discharge and not exceed 0.5 ml/L.

Name: Address: P.O. Box 310 PacifiCorp, Energy West Mining Company

Facility: Huntington, Utah 84528
Hunter Coal Preparation Plant

UTG040009 Permit Number

06/01/2011 1/2011 06/30/2011 Monitoring Period

Discharge Number <u>002</u>

No Discharge X

Typed of Comments and extra	Con	Manager Ener	Rick M. Po	Name/Title Princip	Effluent Gross Value	84066 100	Oil and Grease, Visual		Effluent Gross Value	70295 100	Solids, Total Dissolved		Effluent Gross Value	oron, rotal (as re)			00545 R 0 0	Settleable Solids	Effluent Gross Value	Solids, Total Suspended	Effluent Gross Value	pH H	1	00056 1 0 0 Effluent Gross Value	Flow Rate		Parameter
Typed or Printed possibil	Company	Manager Energy West Mining	Rick M. Poulson - Mine	Name/Title Principal Executive Officer	), Gallage as a fi	A complete the second	al Measurement	Sample	R THE	Total Section (		S	Section 19	Measurement	Sample	£-13		Sample Measurement	Gentlinen en	ded Mcasurement		Measurement	Sample	Control	Sample Measurement		
possibility of fine and in	that there are significan	persons directly respon-	that qualified personnel	I certify under penalty of		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1					*****				***			****		******	(ACCOM)		计算等头操作			Average	Quant
possibility of fine and imprisonment for knowing violations.	is, is the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the	Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted	that qualified personnel properly gather and evaluate the information submitted.	l certify under penalty of law that this document and all attachments were prepared							*****	The second secon			****			****		******		the design contract of the second part of the second secon	*****			Maximum	Quantity or Loading
g violations.	accurate, and	no manage the formation, the	luate the infon	and all attach	mg/L	2																		pgm		Units	<b>6</b> 9
sout managed to	complete. I am aware	information submitted	mation submitted.	ments were prepared			*********		Section 19		***				******					******		AND THE RESIDENCE OF THE PARTY			李米米公共安華	Minimum	nð
Author	Signature of Pri	Till !	///	Date:)							*****			CHRISTOPH CONTRACTOR AND COMPANY OF CONTRACTOR CONTRACT	<b>春季长老老老</b>	Seattle Control					The Notice of			The State of	李本宗宗宗李章	Average	Quantity or Concentration
Authorized Representative	Principal Executive Officer or	No.		97/11/2011			信仰を受ける者		0.035,032	A Second Control		Eller Control of the	- No s		•	Daily laws		****	Ĭ.	200					*****	Maximum	centration
	ficer or	Kick-M. Poulson		)11					mg/L				mg/L			m L L			mg/L	·	SU					Units	
Area Code		435																								No. Ex.	
Nu		687-		Telephone					)kismilari	Salar Born	_	the second second				Vicinity			Symmothy.		176108					Analysis	Frequency of
Number		687-9821							Onli							Chil										Sample Type	

Comments and explanation of any violations:

Oil and grease not to exceed 10 mg/L if sheen is observed. Settleable solids shall be measured during storm water discharge and not exceed 0.5 ml/L.

### If each outfall cannot achieve a 30 day average of 500 mg/L, then the permittee is limited to one ton (2000 lbs) per day as a sum from all outfalls Comments and explanation of any violations: Solids, Total Dissolved Name: Effluent Gross Value Facility: Address: 70295 100 Manager Energy West Mining Name/Title Principal Executive Officer Rick M. Poulson - Mine **Parameter** P.O. Box 310 **Hunter Coal Preparation Plant** PacifiCorp, Energy West Mining Company Huntington, Utah 84528 Typed or Printed Company Sample Measurement Sample Measurement Sample Measurement Sample Measurement Measurement Measurement Measurement Sample PARTITION OF on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the fine and imprisonment for knowing violations. best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of qualified personnel properly gather and evaluate the information submitted. Based I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure the Average \*\*\*\* 100 Quantity or Loading UTG040009 Permit Number Maximum Discharge Monitoring Report Units lbs/day 06/01/2011 06/30/2011 Minimum 15 6 8 \*\*\* Monitoring Period Quantity or Concentration .......... Signature of Principal Executive Officer or Average \*\*\*\* bafe: Authorized Representative Maximum (1) (1) (1) \*\*\*\*\* 07/11/2011 Rick M. Poulsor Minor F - Final, Combination 001 and 002 Units Discharge Number SUM A Area Code No. Ex. 435 Frequency of Analysis Telephone 687-9821 Number No Discharge Sample Type lacksquare(Sigh